



**GOVERNMENT HOME SCIENCE COLLEGE  
SECTOR-10, CHANDIGARH**

**NAAC ACCREDITED GRADE 'A'**

**NIRF INDIA RANKINGS 2022 by Ministry of Education, GOI : 46th**



**3rd Cycle**

**Assessment & Accreditation by NAAC**

**CRITERION-VII**

**INSTITUTIONAL VALUES & BEST PRACTICES**



## **CRITERION 7**

### **KEY INDICATOR- INSTITUTION VALUES & BEST PRACTICES**

#### **Metric no.- 7.1.2**

*The Institution has facilities and initiatives for*

- 1. Alternate sources of energy and energy conservation Measures**
- 2. Management of the various types of degradable and non-degradable waste**
- 3. Water conservation**
- 4. Green campus initiative**
- 5. Disabled-friendly, barrier free environment**

#### **INDEX**

<b>Sr. No.</b>	<b>Content</b>	<b>Page No.</b>
1	Alternate sources of energy and energy conservation measures	1-4
2	Management of the degradable and non-degradable waste	5-7
3	Water Conservation	8-12
4	Green Campus Initiative	13-18
5	Disabled-friendly, Barrier Free Environment	19-25
6	Policies for Divyangjan and Environment	26
7	Bills for the purchase of equipment for the facilities created under this metric	Annexure I (27-49)



**Alternate Energy Resources**




**Solar Panels (90 kWp Rooftop Solar Power Plant )**




**SOLAR PANELS**





 **GPS Map Camera**



**Chandigarh, Chandigarh, India**

Government Home Science College, Sector 10,

Chandigarh, 160011, India


Lat 30.753381°

Long 76.782275°

16/02/23 01:11 PM GMT +05:30

**SOLAR PANELS**





**Solar lights**



**LED lights**



## Management of the degradable and non-degradable waste



Compost Machine





**Compost Pits**





**Color Coded Dustbins for Waste Segregation**



**Water Conservation**



**SWD Road Gullies**






**Water Boosting Station**






**Tertiary Water Supply from M.C. Chandigarh**





**Rain Water Collection Pits and Borewell**






**GPS Map Camera**  
Government Home science college  
Chandigarh sector 10,d  
Lat 30.752448°  
Long 76.783027°  
16/02/23 01:12 PM GMT +05:30

**Sensory Water Taps**



## Green Campus Initiative



GPS Map Camera  
Government Home science college  
Chandigarh sector 10,d  
Lat 30.752448°  
Long 76.783027°  
16/02/23 01:05 PM GMT +05:30

## Landscaping





Herbal Garden



Kitchen Garden





Rose Garden




Cactus Garden





Plant Nursery





**Mini Hill- Forest Garden**





**E-Bike for Commuting within the city**



**The Institution has Disabled-friendly, Barrier Free Environment**



**Disabled-friendly, Barrier Free Environment**





**Ramps**






**Tactile Flooring**





**Disabled Friendly Washroom**





## **SCREEN READER FOR WEBSITE**





**READING CORNER FOR DIVYANGJAN IN COLLEGE LIBRARY**





Wheel Chair



## **Policies for Divyangjan and Environment**

1. **Environment and Sustainable Initiative Policy**  
<https://homescience10.ac.in/storage/Cells%20&%20Policies/Environment%20and%20Sustainable%20Initiative%20Policy.pdf>
2. **Divyangjan Policy**  
<https://homescience10.ac.in/storage/Cells%20&%20Policies/Divyangjan%20Policy.pdf>



# **Annexure I**

# **LED FLOOD LIGHTS**

**Rs- 14,97,600/-**

3635  
19/11/2022

N-2/PC-1  
19/11/22

CHANDIGARH ADMINISTRATION : EDUCATION DEPARTMENT

## **ORDER**

Administrative Approval amounting to **Rs.14,97,600/- (Rupees Fourteen Lakh Ninety Seven Thousand and Six Hundred Only)** for the work "**Providing Additional Led Flood lights and Security Lights**" in the Campus in Govt. Home Science College, Sector-10, Chandigarh is hereby accorded subject to the following conditions :-

1. The correctness of the Rough Cost Estimate technically shall be ensured by Engineering Department and fulfillment of provisions of CPWD Manual, DSR as adopted by the Chandigarh Administration and GFR.
2. Availability of funds in the budget under relevant budget head during the financial year **2022-23** and observance of conditions prescribed in Rule 18 of DFR, 1978 e.g. the scheme should be approved one.
3. The expenditure involved will not exceed the amount provided for the work in the plan **2022-23**.
4. The expenditure on the work shall be incurred strictly as per provisions of GFR and other instructions issued by the Chandigarh Administration from time to time.
5. The actual expenditure incurred against the administrative approval shall be intimated to this office.
6. The work is taken up immediately and completed within the time schedule by the Engineering Department after its commencement.
7. The Engineering Department shall release the last 25% payment to the contractor on receipt of completion certificate from the Principal/Director/Librarian.
8. The work has not been done earlier in the said premises from the Engineering Department/Private Organization.

The expenditure shall be met out under the Head "4202-Capital-Outlay (P)-University & Other Higher Education" during the financial year **2022-23**.

Dated Chandigarh, the  
**31<sup>st</sup> October, 2022**

Amandeep Singh Bhatti, PCS,  
Director Higher Education  
Chandigarh Administration.

Endst. No.473-DHE-UT-A4-23(24)71-09 p.f./7054 Dated: 16/11/22

A copy is forwarded to the following for information and necessary action :-

1. The Chief Engineer, U.T., Chandigarh
2. The Executive Engineer, Electrical Division No. 1, UT, Chandigarh vide their letter No. 16071 Dated 28.09.2022 alongwith copy of RCE in original duly countersigned by the Principal, concerned. It is requested not to entertain any request of the College without the approval of the Worthy Director Higher Education, UT, Chandigarh.
3. The Principal, Govt. Home Science College, Sector-10, Chandigarh. It is requested to monitor the work strictly in accordance with the RCE and report the discrepancy, if any, during the executive of the work. It is also advised not to route any request of the College without prior approval of the Worthy Director Higher Education, UT, Chandigarh.
4. Concerned File.

7-11-2022  
Deputy Controller (F&A),  
For Director Higher Education,  
Chandigarh Administration.



**SOLAR POWER PANEL**  
Grid-Connected Rooftop Solar Photovoltaic Power Plant of Capacity 190 Kw

**DIRECTORATE OF HIGHER EDUCATION  
CHANDIGARH ADMINISTRATION  
(ACCOUNTS BRANCH)  
ADDITIONAL DELUXE BUILDING, 3<sup>rd</sup> FLOOR, SECTOR-9,  
CHANDIGARH -160 009**

Meme.No.DHE-UT-A4-23(24)71-09/67

Dated 08/2/18 ✓

To

Nodal Officer/C.T.

1. The Chief Executive Officer,  
Chandigarh Renewal Energy Science,  
& Technology Promotion Society (CREST),  
Sector-19, Chandigarh.
2. The Chief Engineer,  
U.T., Chandigarh.
3. The Executive Engineer,  
P.H. Division No.7,  
Chandigarh.



*Seen*  
*13/2/18*  
*Principal*  
*9/2*

**Subject Regarding installation of Solar Power Panels and  
Other facilities in the hostels.**

-----  
Enclosed please find herewith a copy of memo no. 2685-88 dated 15.01.2018 received from the Principal, Govt. Home Science College, Sector-10, Chandigarh regarding provide and installation of Solar Power Panels, provision of fire fighting system and other facilities in the hostels for taking further necessary action.

DA/As above

Deputy Controller(F&A)  
O/o Director Higher Education  
Chandigarh Administration

Endst. No. Even

Dated

✓ A copy is forwarded to the Principal, Govt. Home Science College, Sector-10, Chandigarh w.r.t. memo referred above for information and further necessary action.

*Deputy Controller*  
Deputy Controller(F&A).  
O/o Director Higher Education.  
Chandigarh Administration.

## Solar Power Panel

From

The Sub Divisional Engineer,  
Aug W/S Sub Divn. No.2,  
Chandigarh.



Nodal Officer (C.T.)  
Seen

To

The Chief Executive officer,  
Chandigarh Renewable Energy and Science,  
And Technology Promotion Society (CREST),  
Paryavaran Bhawan, First Floor, Sector 19B,  
Chandigarh.

Principal  
13/2/2018  
13/2

Memo No. :-  
Dated:

**Sub: - Regarding installation of SPV Power Plant at Govt. Home Science College, Sector-10, Chandigarh. (Cost of Salvage)**  
**Ref:- Your office letter No. CREST/4438-4441 addressed to the Principal, Govt. Home Science College, Sector 10, Chandigarh with a copy to EEPH-7.**

Please enclosed find herewith the detail of cost of salvage i.e. old solar water heating system to be dismantled as desired vide your letter under reference.

DA/ As above

Sub Divisional Engineer,  
Aug. W/S Sub Divn No. 2,  
Sec-11B, Chandigarh.

Endst no. 252

Dated: 12-2-18

Copy is forwarded to following for information please.

- 1.. The Superintending Engineer, Project P.H. Circle , U.T, Chandigarh.
- 2 The Executive Engineer Project P.H 7, Chandigarh w.r.t in continuation of this office Memo No. 213 dt. 05.02.2018 for information please.
- ✓ 3. The Principal, Home Science College, Sector 10, Chandigarh.

DA/-

Sub Divisional Engineer  
Aug. W/S Sub Divn No. 2,  
Sec-11B, Chandigarh



## Solar Power Panel

DIRECTORATE OF HIGHER EDUCATION  
CHANDIGARH ADMINISTRATION  
(ACCOUNTS BRANCH)  
ADDITIONAL DELUXE BUILDING, 1<sup>ST</sup> FLOOR, SECTOR-9,  
CHANDIGARH-160 009

Memo No.859-DHE-UT-A4-23(24)71-09

Dated

To

1. The Chief Executive Officer,  
Chandigarh Renewable Energy Science  
& Technology Promotion Society (CREST),  
Sector-19, Chandigarh.
2. The Chief Engineer,  
U.T., Chandigarh.
3. The Executive Engineer,  
P.H. Division No.7,  
Chandigarh.

Subject **Regarding installation of Solar Power Panels and other facilities in the College and Hostels.**

\*\*\*\*\*

Enclosed please find herewith a copy of memo no.2070-73 dated 23.09.2016 received from the Principal, Govt. Home Science College, Sector-10, Chandigarh regarding provide and installation of Solar Power Panels, provision of fire fighting system and other facilities in the hostel and college campus for taking further necessary action.

DA/As above

*sdh*  
Asstt. Controller (F&A)(C)  
For Director Higher Education,  
Chandigarh Administration

Endst. No. Even *1180*

Dated *08/11/2016*


A copy is forwarded to the Principal, Govt. Home Science College, Sector-10, Chandigarh w.r.t. memo referred above for information and further necessary action.

*Q. Anu*  
Asstt. Controller (F&A)(C)  
For Director Higher Education,  
Chandigarh Administration

## Solar Power Panel

### Credit for dismantled/Old material Home Science College

Scrap of Solar water Heating System 2 X 1500 lpd In Bsc. New Hostel				
a	Solar Collector	30 set	2100	63000
b	Hot water Storage tank	2 set	4200	8400
c	Cold water Tank of PVC	2 set	1500	3000
d	GI pipe, accessory and MS stands.	400 Kg	14	5600
Old Scrap of Solar water Heating System 2 X 1500 lpd In Bsc. Old Hostel				
a	Solar Collector	30 set	2100	63000
b	Hot water Storage tank	2 set	4200	8400
c	Cold water Tank of PVC	2 set	1500	3000
d	GI pipe, accessory and MS stands.	400 Kg	14	5600
Old Scrap of Solar water Heating System 1500 LPD in Bsc. Mess				
a	Solar Collector	15 set	2100	31500
b	Hot water Storage tank	1 set	2000	2000
c	Cold water Tank of PVC	2 set	1200	2400
d	GI pipe, accessory and MS stands.	200 Kg	14	2800
Old Scrap of Solar water Heating System 2 X 1500 LPD in Msc Block				
a	Solar Collector	30 set	2100	63000
b	Hot water Storage tank	2 set	4200	8400
c	Cold water Tank of PVC	2 set	1500	3000
d	GI pipe, accessory and MS stands.	400 Kg	14	5600
Old Scrap of Solar water Heating System 500 LPD in Msc Mess				
a	Solar Collector	5 set	2100	10500
b	Hot water Storage tank	1 set	2000	2000
c	Cold water Tank of PVC	1 set	1200	1200
d	GI pipe, accessory and MS stands.	100 Kg	14	1400
<b>Total</b>				<b>293800</b>

  
 Sub Division Engineer,  
 Aug. W/S Sub Divn. No.2,  
 Chandigarh.



## Solar Power Panel

From

The Executive Engineer,  
C.P.Division No.1,  
Chandigarh.

To

The Principal,  
Govt. Home Science College,  
Sec.10, Chandigarh.

Memo No. 5736

Dated: 15/6/2016

Subject: Provision of solar panels of rooftop of college.

On the subject cited above, it has been reported by the S.D.E. C-11 letter No.185-186 dated 10.6.2016 addressed to you with a copy to this office that the work of fixing of solar panels on the rooftop of your college building is being carried out without any intimation to this office. It has further been reported that panels are being fixed at a very low height from the roof and adequate space has not been left for maintenance of roof/tile terracing. It may create trouble for carrying out the repair work at a later stage.

You are, therefore, requested to take up the matter with the agency, who is carrying out the work of solar panels, for raising the height of the solar panels from the roof, so that there may not be any problem for carrying out the repair work at a later stage.

Executive Engineer,  
C.P.Division No.1,  
Chandigarh.

Dated :

DA/-  
Endst.No

Copy forwarded to the following for information and necessary action w.r.t. letter referred to above:

1. Superintending Engineer, Construction Circle No.1, Chandigarh
2. SDE C-11 Sub Division, Chandigarh w.r.t. his office Endst.No.186 dated 10.06.2016.

Executive Engineer,  
G.P.Division No.1,  
Chandigarh.

## Solar Power Panel



Chandigarh Renewal Energy, Science & Technology  
Promotion Society (CREST)

Under the Aegis of Department of Science & Technology,  
Chandigarh Administration), Paryavaran Bhawan, First Floor,  
Sec-19B, Madhya Marg, Chandigarh. ☎ 0172-2703982

No. CREST/07/2015/991  
To

Dated: 3/7/15

M/s BNK Energy Alternatives,  
307, Surya Complex,  
21, Veersavorkar Block,  
Shakarpur,  
Delhi- 110092.

**Subject:** Work Order for Design, Manufacture, Supply, Erection, Testing and Commissioning including Operation & Maintenance for 10 years for aggregate capacity of 240kWp (60kWp + 90kWp + 90kWp) Grid-Interactive Rooftop SPV Power Plants at 4 Nos. different Sites in Chandigarh.

Reference to the Bank Guarantee No. 6041IBGIS150014 dated: 24.06.2015 for Rs.17,10,000/- (Rupees Seventeen Lac and Ten Thousand only) valid upto dated:24.06.2016 of Vijaya Bank, No.8, New Rajdhani Enclave, Vikas Marg, Delhi-110092.

The Work order for Design, Manufacture, Supply, Erection, Testing & Commissioning including Operation & Maintenance for 10 years for aggregate capacity of 240kWp (60kWp + 90kWp + 90kWp) Grid-Interactive Rooftop SPV Power Plants at 3 Nos. different Sites in Chandigarh is hereby allotted to you at the amount of Rs. 1,94,40,000/- (Rupees One Crore Ninety Four Lac Forty Thousand Only) (Capital Cost is Rs.1,71,00,000/- + O&M cost for 10 years is Rs.23,40,000/-) inclusive of all taxes duties etc. to be carried out as per DNIT terms and conditions.

You are directed to follow DNIT terms and conditions of the said work strictly and if in the interest of work any deviation is to be made by your side, it shall be got prior approved by CEO, CREST. Further, the material to be installed at site should be got inspected before installation.

Your attention is also drawn towards the clause no. 28 of the DNIT regarding penalty for delay and minimum Electrical Energy Generation (Clause 15) of the DNIT. The site as above is handed over to you for carrying out the works as above. The details of the site as following:

*Address  
clear*

1. Godown & New Building for Printing & Stationary Department, Sector-18, Chandigarh.(60kWp).
2. Office of Printing & Stationary Department, Sector-18, Chandigarh.(90kWp)
3. Govt. Home Science College, Sector-10, Chandigarh.(90kWp).

Please note that the time allowed for carrying out the work as entered in the tender (i.e. 6 months) shall be reckoned from the date of placement of work order.

*0/0*

74//AS/Letters



## Solar Power Panel

**CREST**  
Chandigarh Renewable Energy  
Science & Technology  
Promotion Society

### Chandigarh Renewable Energy, Science & Technology Promotion Society (CREST)

(Under the Aegis of Department of Science & Technology, Chandigarh  
Administration), 1st Floor, Paryavaran Bhawan, Sector-19-B,  
Chandigarh. ☎ 0172-2703982

No. CREST/06/2016/752

Dated:- 23.6.16

To

✓ The Principal  
Govt. Home Science College,  
Sector-10, Chandigarh.

Subject: Regarding Low Height of Solar Panels on the rooftop of Govt. Home Science  
College, Sector 10, Chandigarh.

Dear Madam,

This is with reference to your office Memo No. GHSC/CT-I,II/Nodal  
Officer./2016/994-97 dated: 21.06.2016 regarding complaint raised by C.P Division No.1 for low  
height of Solar Panels installed on the rooftop of your college building.

It is to inform you that the height of the Solar panels were kept low because your  
college building falls under Heritage Zone, as declared by Chandigarh Heritage Conservation  
Committee where we cannot raise the height of the panels above the parapet wall.

Further, it is also informed that there is sufficient space available for  
maintenance of roof/tile terracing.

With Regards,

Yours Sincerely,

*Ami Sahoo.*  
Project Director

Endst. No. CREST/06/2016/

Dated:

Copy of the above is forwarded to the following for information please.

1. The Executive Engineer, CP Division No-1, Chandigarh.
2. The Director Higher Education, Chandigarh Administration, Chandigarh.
3. Nodal Officer, Govt. Home Science College, Sector 10, Chandigarh.

CT-I & II  
fms  
Project Director  
23/6/16

Home Science College  
883  
27/6/16

Project Director

## Solar Power Panel

From The Principal,  
Govt. Home Science College,  
Sector-10, Chandigarh.

To The CEO,  
Chandigarh Renewal Energy, Science & Technology Promotion Society (CREST),  
Paravaran Bhawan, First Floor Sector 19-B, Madhya Marg, Chandigarh.

Memo No. GHSC/CT-I, II / Nodal Officer. /2016  
Dated Chandigarh, the

Subject: **Complaint of C.P Division No. 1, regarding lower height of Solar Panels on roof top of College.**

Reference: **Memo No. -5736 dated 15.06.2016**

It is stated that a letter has been received from Executive Engineer, CP Division No. 1, Chandigarh regarding lower height of solar panels which might create problem for maintenance of roof/tile terracing.

You are requested to kindly look into the matter personally and necessary instructions may be given to the concerned officials to do the needful immediately.  
Please treat it as **MOST URGENT**.

Nodal Officer

S)  
Principal,  
Govt. Home Science College,  
Sector-10, Chandigarh.

Endst No. GHSC-10/2016/ 994-97

Dated: 21/6/16

A copy is forwarded to the following for information and necessary action please.

1. The Executive Engineer, CP Division No. 1, Chandigarh
2. The Director Higher Education, Chandigarh Administration, Chandigarh.
- ✓ 3. Nodal Officer, GHSC-10.

DA:1. Photo Copy of Letter  
No 5736, dated 15.06.16  
2.: CREST/07/2015/991/3.7.15

Principal,  
Govt. Home Science College,  
Sector-10, Chandigarh



## Solar Power Panel

From The Principal,  
Govt.HomeScienceCollege,  
Sector-10, Chandigarh.

To TheCEO,  
Chandigarh Renewal Energy, Science & Technology Promotion Society (CREST),  
ParyavaranBhawan, First Floor,  
Sector 19-B, Madhya Marg, Chandigarh.

Memo No. GHSC-10/CT-I/2016 1416-17  
Dated Chandigarh, the 27/7/16

Subject: Request for installing of Solar Power Plant on College Hostels & Principal  
Lodge.

Sir,

Reference on the subject noted above.


It is hereby submitted that our college Hostels (B.Sc. and M.Sc.) and Principal's Lodge requires the Solar Power Plant because of the following reasons:

- Erratic functioning of already installed Solar Geysers in the hostels as it causes inconvenience to the hostlers.
- The college has to bear the burden of exorbitant electricity bills which amounts to on an average of more than 1.5 lacs for 2 months and due to paucity of funds it is difficult to pay enormous Electricity bills.
- Moreover, college promotes Eco-friendly environment for teaching and learning which is surely going to be supported by Solar Power Plant.

College is due for NAAC accreditation. So, our case should be taken on priority basis and a visit by your concerned officials may help to expedite the process.

Thanking You.

  
Nodal Officer


  
Principal,  
Govt. Home Science College,  
Sector-10, Chandigarh.

Endst. No.

Dated:

A copy is forwarded to the following for information and necessary action

1. The Director, Higher Education, Chandigarh Administration, Chandigarh.

  
Principal,  
Govt. Home Science College,  
Sector-10, Chandigarh.

## E - Waste



ISO 9001 : 2015 Certified

DEPARTMENT OF INFORMATION TECHNOLOGY,  
CHANDIGARH ADMINISTRATION  
5<sup>th</sup> Floor, Additional Deluxe Building, Sector 9-D, Chandigarh - 160009  
Phone: 0172-2740641, Fax: 0172-2740005


*E-waste*

No. 31-B/IT/2019-2236

To

The Director,  
Green Vortex Waste Management Pvt. Ltd  
Plot no. 331, Phase-6, Udyog Vihar,  
Sector-37, Gurgaon, Haryana-122006

Dated 24/9/19



*Mona*

*Sh. Navtej Singh  
D.T.  
for n/a/cion re.*

Subject: Regarding disposal of e-waste lying in offices of Chandigarh Administration.

This is with reference to your e-mail dated 10.09.2019 regarding subject cited above. In this regard, it is intimated that amount of Rs. 3,71,945/- has been deposited in the DoIT account. You are therefore allowed to lift the e-waste items from the premises of following departments/offices of Chandigarh Administration as per below scheduled date:-

#	Department/office Name	Coordinator Name	Contact no.	Scheduled Date
1	Chandigarh Housing Board, Sector-9, Chandigarh	Sh. Abhishek Verma	9041060903	30.09.2019
2	Urban Planning, Sector-9, Chandigarh	Sh. Rohit Kumar	8708355575	30.09.2019
3	Govt. Sr. Sec. School, sector-45A, Chandigarh	Sh. Dalip Thakur	9417484530	01.10.2019
4	Post Graduate Government College for Girls, Sector -42, Chandigarh	Sh. Kamal Deep	9023411935	04.10.2019
5	Post Graduate Government College for Girls, Sector-11, Chandigarh	Sh. Baljit Singh	8591040006	05.10.2019
6	Govt Home Science College, Sector-10, Chandigarh	Sh. Navtej Singh Ms. Gurjinder Kaur	9888399121 8427003070	07.10.2019

The list of e-waste items, to be lifted is also enclosed with this letter. It may be noted that items to be disposed off on weight basis, have an approximate estimate and actual shall be calculated by your office (and verified by concerned department) while lifting the e-waste items. Accordingly, payment would be revised.

This issues with the approval of w/DIT on dated 13.09.2019.

*[Signature]*  
Pr. System Manager, DoIT  
Chandigarh Administration




Endst no. 31-B/IT/2019/2237-2240

Dated 24/9/17

A copy of above is forwarded to the following:-

1. PS/SIT for the kind information of the officer.
2. PA/DIT for the kind information of the officer.
3. Section Officer for the kind information.
4. Sh. Amar Jeet, Technician to coordinate with the vendor.


  
Pr. System Manager, DoIT  
Chandigarh Administration

Endst no. 31-B/IT/2019/2241-2246

Dated 24/7/17

A copy of above is forwarded to the following to direct concerned person to the coordinate with the M/s Green Vortex please:-

1. Chairman, Chandigarh Housing Board, Sector-9, Chandigarh
2. Chief Architect, Urban Planning, Sector-9, Chandigarh
3. Principal, Govt Home Science College, Sector-10, Chandigarh
4. Principal, Post Graduate Government College for Girls, Sector-11, Chandigarh
5. Principal, Post Graduate Government College for Girls, Sector -42, Chandigarh
6. Principal, Govt. Sr. Sec. School, sector-45A, Chandigarh

  
Pr. System Manager, DoIT  
Chandigarh Administration

## E- Waste

### Annexure-A

Sr. No.	Item description	In Nos. Or Kgs	No. of Qty/Kg	Rate Per Unit/Kg	Total Amount (Rs.)
<b>Chandigarh Housing Board, Sec-9, Chandigarh</b>					
1	Computer Desktop (Monitor + CPU+ Keyboard+ Mouse)	Nos	65	865	56225
2	Keyboard	Nos	114	10	1140
3	Mouse	Nos	53	5	265
4	Printer	Nos	43	150	6450
5	Scanner	Nos	3	150	450
6	Projector	Nos	1	500	500
7	Tonner/Cartridge	Nos	581	20	11620
8	UPS (No.22)	kgs	258.5kg	70	18095
9	Batteries (No.3)	kgs	66	85	5610
10	Wifi Access Point (Router)	Nos	12	50	600
11	Switch L2 layer	Nos	1	200	200
12	Hub	Nos	2	150	300
<b>Total (Rs.) - A</b>					<b>1,01,455/-</b>
<b>Department of Urban Planning, Sector - 9, Chandigarh</b>					
1	Computer Desktop (Monitor + CPU+ Keyboard+ Mouse)	Nos	15	865	12975
2	CPU	Nos	2	400	800
3	UPS (No. 17)	Kgs	102	70	7140
4	Printer	Nos	5	150	750
<b>Total (Rs.) - B</b>					<b>21,665/-</b>
<b>Govt. Home Science College, Sector - 10, Chandigarh</b>					
1	Computer Desktop (Monitor + CPU+ Keyboard+ Mouse)	Nos	33	865	28545
2	UPS (No. 23)	Kgs	205	70	14350
3	Printer	Nos	9	150	1350
4	Scanner	Nos	8	150	1200
5	Over Head Projector	Nos	1	500	500
6	Stabilizer	Nos	1	1000	1000
7	Monitor	Nos	5	150	750
8	Digital Camera	Nos	1	50	50
9	Web cam	Nos	3	50	150
10	Speaker	Nos	2	50	100
11	Photostat machine (Modi) Xeromodi corp ltd.	Nos	1	1000	1000
12	Photostat GG Reprographic Division HCL LTD	Nos	1	1000	1000
<b>Total (Rs.) - C</b>					<b>49,995/-</b>
<b>PG Govt. College, Sector-11 Chd</b>					
1	Computer Desktop (Monitor + CPU+ Keyboard+ Mouse)	Nos	40	865	34600
2	Server	Nos	3	1000	3000
3	UPS (No. 21)	Kgs	250	70	17500
4	Batteries (No. 32)	Kgs	691	85	58735
5	Printer	Nos	3	150	450
6	Telephone Set	Nos	12	10	120
<b>Total (Rs.) -D</b>					<b>1,14,405/-</b>



## E- Waste

Sr. No.	Item description	In Nos. Or Kgs	No. of Qty/Kg	Rate Per Unit/Kg	Total Amount (Rs.)
<b>PG Govt. College for Girls, Sector 42, Chandigarh</b>					
1	Computer Desktop (Monitor + CPU+ Keyboard+ Mouse)	Nos	52	865	44980
2	UPS (No. 12)	Kgs	30	70	2100
3	Printer	Nos	11	150	1650
4	Laptop	Nos	4	1000	4000
5	TV	Nos	2	500	1000
6	Digital Video Camera	Nos	1	50	50
7	Photo Copier	Nos	2	1000	2000
<b>Total (Rs.) - E</b>					<b>55,780/-</b>
<b>Govt. Sr. Sec. School, Sector 45 A, Chandigarh</b>					
1	Computer Desktop (Monitor + CPU+ Keyboard+ Mouse)	Nos	20	865	17300
2	Keyboard	Nos	2	10	20
3	Mouse	Nos	5	5	25
4	Printer	Nos	4	150	600
5	UPS	Kgs	140	70	9800
6	Projector	Nos	1	500	500
7	SMPS	Nos	8	50	400
<b>Total (Rs.) - F</b>					<b>28,645/-</b>
<b>Grand Total (A+B+C+D+E+F)</b>					<b>3,71,945/-</b>

## E- Waste

OFFICE OF THE PRINCIPAL, GOVT. HOME SCIENCE COLLEGE, SECTOR-10, CHANDIGARH

MEMO NO. GHSC-10/CT/2019/ 2025


DATED: 9/10/19

The following e-waste items have been lifted from Govt. Home Science College, Sector-10, Chandigarh on 09.10.2019 with reference to letter no. 31-B/IT/2019/2236 dated 24.09.2019 by Mr. Mukesh Singla, SCF-205, Sector-24-D, Chandigarh.

S.No.	Item	Quantity
1.	Computer Desktop (Monitor + CPU+Keyboard+ Mouse) *	33 Nos. 15
2.	UPS (No. 23) -	188 KGs
3.	Printer .	9 Nos.
4.	Scanner .	8 Nos.
5.	Over Head Projector	1 No.
6.	Stabilizer	1 No.
7.	Monitor	3 Nos.
8.	Digital Camera .	1 No.
9.	Web Cam *	3 Nos.
10.	Speaker *	2 Nos.
11.	Photostat Machine (Modi) Xeromodi Corp. Ltd.	1 No.
12.	Photostat GG Reprographie Division HCL Ltd.	1 No.

Received the above mentioned items (No. 1 to 12) dated 09.10.2019

for 200 9/10/19  
Care taken  
GHSC-10, CW.

  
GREEN VORTEX WASTE MGMT PVT. LTD.  
Plot No. 331, Sector 37, Udyog Vihar,  
Phase-6, Gurugram (HR.)  
GSTIN : 06AADC64814C123

MUKESH SINGLA

9216243227

9316243227



## Compost Machine

Fully Automatic Compost Machine (25-50 kg)

https://mail.gov.in/iwc\_static/layout/shell.html?lang=en&3.0.1.2.0\_15121607

Subject: Fwd: PRE-INSTALLATION DETAILS FOR COMPOST MACHINE MODEL 24-50  
To: Uttara Mausi <homescience-chd@nic.in>  
Attachment: AD-CM 24-50 Composting Machine.PDF (188kB)

Date: 03/06/19 05:10 PM  
From: Neelam Singh <neelamnc@gmail.com>

Please get the Print of it.

Forwarded message -----  
From: Alfa Therm <compostmachines@alfatherm.in>  
Date: Wed, Mar 6, 2019 at 9:57 AM  
Subject: PRE-INSTALLATION DETAILS FOR COMPOST MACHINE MODEL 24-50  
To: Neelam Singh <neelamnc@gmail.com>, <ghsc-supdt@chd.nic.in>  
Cc: Vijay Saroj <vijay@alfatherm.in>

Dear Sir,

This has reference to the PO- GEMC-511687755096695 dated 01.03.2019 for the supply of organic waste composting machine model 24-50 for the capacity of 50-75 kg per day.

Following points are mandatory at the time of installation of compost machine.

- Power Supply- 3 Phase, 4 Kw
- Proper Shed of size- 5 mtr. x 4 mtr. x 3.5 mtr., closed from all side with proper ventilation and entrance gate of size 1.5 mtr. x 3 mtr.
- Proper Earthing
- MCB-4 Pole 16 amp
- Wire-4 core 2.5 mm square
- Length according to machine distance
- Exhaust Drainage to sewage
- Please find the enclosed layout for more details required for installation for the compost machines.

When all these points fulfill by you, kindly confirm the same.

Thanks & Regards  
Neha Kapoor  
(Marketing Division)


Alfa Therm Limited  
6, Community Center, Mayapuri Phase 1  
Behind Canara Bank  
New Delhi- 110064  
Tel.28115222, 28116222  
09319357748  
Email id- compostmachines@alfatherm.in

CIN No. U74899DL1994PLC056781

Major Neelam Kumari  
Associate Professor  
Associate NCC Officer  
Govt. Home Science College  
Sector -10 D,  
Chandigarh -160010  
Mobile - 094174-82453

Diary No. 3917 / 7/3/19  
C.T. | Environment Incharge  
7/3/19

# Compost Machine (Blue print )





**Boosting station**

From

The Principal,  
Govt. Home Science College,  
Sector-10, Chandigarh.

To

The Director Higher Education  
Chandigarh Administration,  
Chandigarh.

Memo No. GHSC-10/CT/2018/3311  
Dated Chandigarh, the 15/03/18

**Subject: Rough Cost Estimate for providing Renovation to Boosting Stations at Govt. Home Science College, Sector-10, Chandigarh.**

**Reference: Memo No. 9942 dated-27.10.2017**

Sir,



In context to above mentioned subject, It is hereby submitted that the water booster pump room of the college building is in dilapidated and derelict condition as the ceiling and walls of the room needs immediate repairs as it can fall any time. Therefore the Rough Cost Estimate amounting to Rs. 6.98 Lacs sent by the Executive Engineer, Project P.H. Division No. 7, Chandigarh is forwarded (in original) for providing Renovation to Boosting Stations at Govt. Home Science College, Sector-10, Chandigarh duly signed and stamped as a token of approval/acceptance, as desired vide letter under reference for your information and further necessary action.

You are requested to kindly look in to the matter on priority and necessary instructions may be given to the concerned officials to do the needful so that the renovation with tile work is completed well in time.

Please treat it as **MOST URGENT**.

  
NODAL OFFICER 15/3/18

Rough Estimate in original

  
o/c Principal,  
Govt. Home Science College,  
Sector-10, Chandigarh  


## SWD lines and Road Gullies

### CHANDIGARH ADMINISTRATION EDUCATION DEPARTMENT

#### ORDER

Administrative approval for incurring an expenditure

**Rs.42,44,000/- (Rupees Forty Two Lacs and Forty Four Thousand Only)** for

providing and laying of SWD line and road gullies for disposal rain water in Govt. Home Science College, Sector- 10, Chandigarh is hereby accorded subject to the following conditions:-.

1. The correctness of the Rough Cost Estimate technically shall be ensured by Engineering Department and fulfillment of provisions of CPWD Manual, DSR as adopted by the Chandigarh Administration and GFR.
2. Availability of funds in the budget under relevant budget head during the financial year and observance of conditions prescribed in Rule 18 of DFR, 1978 e.g. the scheme should be approved one.
3. The expenditure involved will not exceed the amount provided for the work in the plan 2020-21.
4. The expenditure on the work shall be incurred strictly as per provisions of GFR and other instructions issued by the Chandigarh Administration from time to time.
5. The actual expenditure incurred against the administrative approval shall be intimated to this office.
6. The correctness of the Rough Cost Estimate technically shall be ensured by Engineering Department.
7. The work is taken up immediately and completed within the time schedule by the Engineering Department after its commencement.
8. The Engineering Department shall release the last 25% payment to the contractor on receipt of completion certificate from the Principal/Director/Librarian.

The expenditure shall be met under the Major Head "4202-Capital Outlay (Plan) -University and Other Higher Education" during the financial year 2020-21.

**Dated Chandigarh, the  
12<sup>th</sup> June, 2020**


**Rubinder Jit S. Brar, PCS  
Director Higher Education  
Chandigarh Administration.**

**No. 125-DHE-UT-A4-23(5)2019 / 320**

**Dated:- 30/6/2020**

action:-

1. The Chief Engineer, U.T., Chandigarh.
2. The Superintending Engineer, Project P.H. Circle, Chandigarh vide their No. 530, dated 03.03.2020 alongwith copy of RCE in original duly countersigned by the Principal concerned.
3. ✓ The Principal, Govt. Home Science College Sector- 10,-UT, Chandigarh. It is requested to monitor the work strictly in accordance with the RCE and report the discrepancy, if any, during the executive of the work.

  
**Deputy Controller (F&A),  
For Director Higher Education,  
Chandigarh Administration**



## Boosting station

CHANDIGARH ADMINISTRATION  
EDUCATION DEPARTMENT

ORDER

Nodal officer / C.T.  
*S. Singh*  
27/3/18  
*Principal*

Administrative approval for incurring an expenditure of **Rs.6,98,000/- (Rupees Six Lacs and Ninety Eight Thousand Only)** for providing renovation to Boosting Stations at Govt. Home Science College, Sector-10, Chandigarh is hereby accorded subject to the following conditions:-

1. The expenditure involved will not exceed the amount provided for the work in the plan 2017-18.
2. The expenditure on the work shall be incurred strictly as per provisions of GFR and other instructions issued by the Chandigarh Administration from time to time.
3. The actual expenditure incurred against the administrative approval shall be intimated to this office.
4. The correctness of the Rough Cost Estimate technically shall be ensured by Engineering Department.
5. The work is taken up immediately and completed within the time schedule by the Engineering Department after its commencement.
6. The Engineering Department shall release the last 25% payment to the contractor on receipt of completion certificate from the Principal.

The expenditure shall be met under the Major Head "4202-Capital Outlay -University and Other Higher Education" during the financial year 2017-18.

Dated Chandigarh, the  
21<sup>st</sup> March, 2018

Rakesh Kumar Popli, PCS  
Director Higher Education  
Chandigarh Administration

No.118-DHE-UT-A4-23(24)71-09P.F./255

Dated:- 26/3/18

A copy is forwarded to the following for information and necessary action:-


1. The Chief Engineer, U.T., Chandigarh.
2. The Executive Engineer, Project P.H. Division No.7, Sector-11, Chandigarh w.r.t. his office memo no. 9942 dated 27.10.2018 alongwith copy of RCE in original duly countersigned by the Principal concerned.
3. ✓ The Principal, Govt. Home Science College, Sector-10, Chandigarh. It is requested to monitor the work strictly in accordance with the RCE and report the discrepancy, if any, during the execution of the work.

DA/AS above

*S. Singh*  
Deputy Controller (F&A)  
For Director Higher Education  
Chandigarh Administration



**Boosting station**





**Wheel Chair for Divyangian by**  
**Dharam Hospital Sector-15**



2040, SECTOR 15-C, CHANDIGARH PH : 2781164  
Tele-fax No. : 0172-4345167  
E-mail : dharamhospital2040@gmail.com

*Aug -16, 2022*

On 75<sup>th</sup> Anniversary of India's Independence, Dharam Hospital, Sector-15, Chandigarh is sponsoring your esteemed institution two wheelchairs for rendering help to the students during the time of any emergency.

*Dr. Ajay K. Aggarwal*  
Dr. Ajay K. Aggarwal  
M.B.B.S., M.D. (Med.)  
Consultant Physician EP-18444